Brain Research, 511 (1990) 358–359
Elsevier

Author Index

Albeck, D., see Smock, T., 15
Albeck, D., Smock, T., McMechen, P., Purves, D. and Floyd, L., Peptidergic transmission in the brain. I. Vasopressin-like signal in the hippocampus, 7
Amir, S., Intra-ventromedial hypothalamic injection of glutamate stimulates brown adipose tissue thermogenesis in the rat, 341
Anderson, E.G., see Todorovic, S., 71
Arai, A., Larson, J. and Lynch, G., Anoxia reveals a vulnerable period in the development of long-term potentiation, 353
Arneric, S.P., Giuliano, R., Ernsberger, P., Underwood, M.D. and Reis, D.J., Synthesis release and receptor binding of acetylcholine in the C1 area of the rostral ventrolateral medulla: contributions in regulating arterial pressure, 98
Audieger, S., see Tribollet, E., 129
Ault, B., see Caviedes, P., 169
Avoli, M., see Tancredi, V., 280

Bain, G., see Porrino, L.J., 1
Balthazart, J., see Vockel, A., 291
Betz, A.L., see Kollross, P.E., 259
Bos, N.P.A. and Mirmiran, M., Circadian rhythms in spontaneous neuronal discharges of the cultured suprachiasmatic nucleus, 158
Brancati, A., see Tancredi, V., 280
Bridges, R.S., see Insel, T.R., 93
Brooks, D.N., see Dewar, D., 241
Burstein, R., Dado, R.J. and Giesler Jr., G.J., The cells of origin of the spinothalamic tract of the rat: a quantitative reexamination, 329

Castagné, V., Rivet, J.-M. and Mormède, P., The integrity of the ventral noradrenergic bundle (VNAB) is not necessary for a normal neuroendocrine stress response, 349
Caviedes, P., Ault, B. and Rapoport, S.I., Electrical membrane properties of cultured dorsal root ganglion neurons from trisomy 19 mouse fetuses: a comparison with the trisomy 16 mouse fetus, a model for Down syndrome, 169
Chung, K., Klein, C.M. and Coggeshall, R.E., The receptive part of the primary afferent axon is most vulnerable to systemic capsaicin in adult rats, 222
Churchill, L., Dilts, R.P. and Kalivas, P.W., Changes in γ-aminobutyric acid, μ-opioid and neurotensin receptors in the accumbens-pallidal projection after discrete quinolinic acid lesions in the nucleus accumbens, 41
Coggeshall, R.E., see Chung, K., 222
Collins, A.C., see Freund, R.K., 187

Dado, R.J., see Burstein, R., 329
Davis, T.R., see Robinson, S.E., 141
Dees, W.L., see Gonzalez, D., 249
Dewar, D., Horsburgh, K., Graham, D.I., Brooks, D.N. and McCulloch, J., Selective alterations of high affinity [^{3}H]forskolin binding sites in Alzheimer's disease: a quantitative autoradiographic study, 241
Dilts, R.P., see Churchill, L., 41
Dreifuss, J.J., see Tribollet, E., 129
Dreijer, A.M.C., see Kamphuis, W., 63
Dubois-Dauphin, M., see Tribollet, E., 129

Eckardt, M.J., see Marietta, C.A., 192
Ellis, J., Huyler, J.H., Kemp, D.E. and Weiss, S., Muscarinic receptors and second-messenger responses of neurons in primary culture, 234
Emori, K. and Minabe, Y., Effects of anticonvulsants on hippocampus-generating seizures, 217
Enters, E.K., see Robinson, S.E., 141
Ernsberger, P., see Arneric, S.P., 98

Floyd, L., see Albeck, D., 7
Fogarty, J.D., see Kultas-Ilinsky, K., 197
Foxx, S.D., see Robinson, S.E., 141
Freo, U., Soncrant, T.T., Ricchieri, G.L., Wozniak, K.M., Larson, D.M. and Rapoport, S.I., Time courses of behavioral and regional cerebral metabolic responses to different doses of meta-chlorophenylpiperazine in awake rats, 209
Freund, R.K., Jungschaffer, D.A. and Collins, A.C., Nicotine effects in mouse hippocampus are blocked by mecamylamine, but not other nicotinic antagonists, 187

Gelderd, J.B., Evaluation of blood vessel and neurite growth into a collagen matrix placed within a surgically created gap in rat spinal cord, 80
Ghijsen, W.E.J.M., see Kamphuis, W., 63
Giesler Jr., G.J., see Burstein, R., 329
Giuliano, R., see Arneric, S.P., 98
Goh, J.W. and Pennefather, P.S., Pertussis toxin prevents induction of hippocampal long-term potentiation in the stratum radiatum and stratum oriens inputs to CA1 neurons, 345
Goldstein, G.W., see Kollross, P.E., 259
Gonzalez, D., Dees, W.L., Hiney, J.K., Ojeda, S.R. and Saneto, R.P., Expression of β-nerve growth factor in cultured cells derived from the hypothalamus and cerebral cortex, 249
Goodman, S.R., see Zagon, I.S., 181
Graham, D.I., see Dewar, D., 241
Greenamyre, J.T., Higgins, D.S. and Young, A.B., Sodium-dependent D-aspartate 'binding' is not a measure of presynaptic neuronal uptake sites in an autoradiographic assay, 310
Grimes, L.M., see Mitchell, C.L., 338
Guo, H., see Robinson, S.E., 141
Guyenet, P.G., see Sun, M.-K., 30

Harper, R.M., see Ni, H., 319
Hayashi, H. and Tabata, T., Pulpal and cutaneous inputs to somatosensory neurons in the parabrachial area of the cat, 177
Higgins, D.S., see Greenamyre, J.T., 310
Hiney, J.K., see Gonzalez, D., 249
Hong, J.-S., see Mitchell, C.L., 338
Horsburgh, K., see Dewar, D., 241
Hughes, B., see Kultas-Ilinsky, K., 197
Huisman, E., see Kamphuis, W., 63
Huston-Lyons, D., see Porrino, L.J., 1
Huyler, J.H., see Ellis, J., 234
Hwa, G.G.C., see Tancredi, V., 280

Ilinsky, I.A., see Kultas-Ilinsky, K., 197
Insel, T.R., Kinsley, C.H., Mann, P.E. and Bridges, R.S., Prenatal stress has long-term effects on brain opiate receptors, 93

Jungschaffer, D.A., see Freund, R.K., 187

Kalivas, P.W., see Churchill, L., 41
Kamphuis, W., Huisman, E., Dreijer, A.M.C., Ghijsen, W.E.J.M., Verhage, M. and Lopes da Silva, F.H., Kindling increases the K^+-evoked Ca^{2+}-dependent release of endogenous GABA in area CA1 of rat hippocampus, 63
Karasawa, N., see Nagatsu, I., 55
Kemp, D.E., see Ellis, J., 234
Kent, S. and Satinoff, E., Influence of ambient temperature on sleep and body temperature after phentolamine in rats, 227
Kinsley, C.H., see Insel, T.R., 93
Kirschenbaum, B., and Pulsinelli, W.A., Posthoc phosphorylation of proteins derived from ischemic rat hippocampus, striatum and neocortex, 21
Klein, C.M., see Chung, K., 222
Kokunai, T., see Kudo, H., 326
Kollross, P.E., Goldstein, G.W. and Betz, A.L., Myo-inositol transport into endothelial cells derived from nervous system microvessels, 259
Komori, K., see Nagatsu, I., 55
Kondoh, T., see Kudo, H., 326
Kornetsky, C., see Porrino, L.J., 1
Kudo, H., Kokunai, T., Kondoh, T., Tamaki, N. and Matsumoto, S., Quantitative analysis of glutathione in rat central nervous system: comparison of GSH in infant brain with that in adult brain, 326
Kultas-Ilinsky, K., Hughes, B., Fogarty, J.D. and Ilinsky, I.A., GABA and benzodiazepine receptors in the cat motor thalamus after lesioning of nigro- and pallidothalamic pathways, 197

Larson, D.M., see Freo, U., 209
Larson, J., see Arai, A., 353
Loewy, A.D., see Spencer, S.E., 149
Lopes da Silva, F.H., see Kamphuis, W., 63
Lynch, G., see Arai, A., 353

MacCormack, A.G., see Nehls, D.G., 271
Mann, P.E., see Insel, T.R., 93
Marietta, C.A., Eckardt, M.J., Zbicz, K.L. and Weight, F.F., Cerebral glucose utilization during diazepam withdrawal in rats, 192
Martin, R.M., see Robinson, S.E., 141
Matsumoto, S., see Kudo, H., 326
McCulloch, J., see Dewar, D., 241
McCulloch, J., see Nehls, D.G., 271
McLaughlin, P.J., see Zagon, I.S., 181
McMechen, P., see Albeck, D., 7
McMechen, P., see Smock, T., 15
Minabe, Y., see Emori, K., 217
Mirmiran, M., see Bos, N.P.A., 158
Mitchell, C.L., Grimes, L.M. and Hong, J.-S., Granule cells in the ventral dentate gyrus are essential for kainic acid-induced wet dog shakes but not those induced by precipitated abstinence in morphine-dependent rats, 338
Molliver, D.C. and Molliver, M.E., Anatomic evidence for a neurotoxic effect of (±)-fenfluramine upon serotonergic projections in the rat, 165
Molliver, M.E., see Molliver, D.C., 165
Mori, S., see Nonaka, S., 265
Mormède, P., see Castagné, V., 349

Nagatsu, I., Komori, K., Takeuchi, T., Sakai, M., Yamada, K. and Karasawa, N., Transient tyrosine hydroxylase-immunoreactive neurons in the region of the anterior olfactory nucleus of pre- and postnatal mice do not contain dopamine, 55
Nakamura, H., Do CNS anlagen have plasticity in differentiation? Analysis in quail-chick chimera, 122
Nehls, D.G., Park, C.K., MacCormack, A.G. and McCulloch, J., The effects of *N*-methyl-D-aspartate receptor blockade with MK-801 upon the relationship between cerebral blood flow and glucose utilisation, 271
Ni, H., Zhang, J. and Harper, R.M., Respiratory-related discharge of periaqueductal gray neurons during sleep–waking states, 319
Nonaka, S., Unno, T., Ohta, Y. and Mori, S., Sneeze-evoking region within the brainstem, 265

Ohta, Y., see Nonaka, S., 265
Ojeda, S.R., see Gonzalez, D., 249

Park, C.K., see Nehls, D.G., 271
Pennefather, P.S., see Goh, J.W., 345
Pinard, E., Riche, D., Puiroud, S. and Seylaz, J., Theophylline reduces cerebral hyperaemia and enhances brain damage induced by seizures, 303
Porrino, L.J., Huston-Lyons, D., Bain, G., Sokoloff, L. and Kornetsky, C., The distribution of changes in local cerebral energy metabolism associated with brain stimulation reward to the medial forebrain bundle of the rat, 1
Posner, M.G., see Robinson, S.E., 141
Pröve, E., see Vockel, A., 291
Puiroud, S., see Pinard, E., 303
Pulsinelli, W.A., see Kirschenbaum, B., 21
Purves, D., see Albeck, D., 7
Purves, D., see Smock, T., 15

Rapoport, S.I., see Caviedes, P., 169
Rapoport, S.I., see Freo, U., 209
Reis, D.J., see Arneric, S.P., 98
Ricchieri, G.L., see Freo, U., 209
Riche, D., see Pinard, E., 303
Rivet, J.-M., see Castagné, V., 349
Robinson, S.E., Foxx, S.D., Posner, M.G., Martin, R.M., Davis, T.R., Guo, H. and Enters, E.K., The effect of M_1 muscarinic blockade on behavior and physiological responses following traumatic brain injury in the rat, 141

Sakai, M., see Nagatsu, I., 55
Saneto, R.P., see Gonzalez, D., 249
Satinoff, E., see Kent, S., 227
Sawyer, W.B., see Spencer, S.E., 149
Segal, M., A subset of local interneurons generate slow inhibitory postsynaptic potentials in hippocampal neurons, 163
Seylaz, J., see Pinard, E., 303
Smock, T., Albeck, D., McMechen, P. and Purves, D., Peptidergic transmisson in the brain. II. Mediation by a vasopressin-like peptide, 15
Smock, T., see Albeck, D., 7
Sokoloff, L., see Porrino, L.J., 1
Soncrant, T.T., see Freo, U., 209
Spencer, S.E., Sawyer, W.B. and Loewy, A.D., L-Glutamate mapping of cardioreactive areas in the rat posterior hypothalamus, 149
Stratford, T.R. and Wirtshafter, D., Ascending dopaminergic projections from the dorsal raphe nucleus in the rat, 173
Sun, M.-K. and Guyenet, P.G., Excitation of rostral medullary pacemaker neurons with putative sympathoexcitatory function by cyclic AMP and β-adrenoceptor agonists 'in vitro', 30

Tabata, T., see Hayashi, H., 177
Takeuchi, T., see Nagatsu, I., 55
Tamaki, N., see Kudo, H., 326
Tancredi, V., Hwa, G.G.C., Zona, C., Brancati, A. and Avoli, M., Low magnesium epileptogenesis in the rat hippocampal slice: electrophysiological and pharmacological features, 280
Todorovic, S. and Anderson, E.G., 5-HT_2 and 5-HT_3 receptors mediate two distinct depolarizing responses in rat dorsal root ganglion neurons, 71
Tribollet, E., Audigier, S., Dubois-Dauphin, M. and Dreifuss, J.J., Gonadal steroids regulate oxytocin receptors but not vasopressin receptors in brain of male and female rats. An autoradiographical study, 129

Underwood, M.D., see Arneric, S.P., 98
Unno, T., see Nonaka, S., 265

Verhage, M., see Kamphuis, W., 63
Vockel, A., Pröve, E. and Balthazart, J., Sex- and age-related differences in the activity of testosterone-metabolizing enzymes in microdissected nuclei of the zebra finch brain, 291

Weight, F.F., see Marietta, C.A., 192
Weiss, S., see Ellis, J., 234
Whittaker, V.P., Cholinergic synaptic vesicles are metabolically and biophysically heterogeneous even in resting terminals, 113
Wirtshafter, D., see Stratford, T.R., 173
Wozniak, K.M., see Freo, U., 209

Yamada, K., see Nagatsu, I., 55
Young, A.B., see Greenamyre, J.T., 310

Zagon, I.S., Goodman, S.R. and McLaughlin, P.J., Demonstration and characterization of zeta (ζ), a growth-related opioid receptor, in a neuroblastoma cell line, 181
Zbicz, K.L., see Marietta, C.A., 192
Zhang, J., see Ni, H., 319
Zona, C., see Tancredi, V., 280